

DRAFT  
DO NOT CITE OR QUOTE

EPA/600/P-00/001Ac  
March 2000  
Draft Final  
[www.epa.gov/ncea](http://www.epa.gov/ncea)

# Exposure and Human Health Reassessment of 2,3,7,8-Tetrachlorodibenzo-*p*-Dioxin (TCDD) and Related Compounds

## Part I: Estimating Exposure to Dioxin-Like Compounds

Volume 3: Properties, Environmental Levels, and Background Exposures

Exposure Assessment and Risk Characterization Group  
National Center for Environmental Assessment - Washington Office  
Office of Research and Development  
U.S. Environmental Protection Agency  
Washington, DC

**DISCLAIMER**

This document is a draft. It has not been formally released by the U.S. Environmental Protection Agency and should not at this stage be construed to represent Agency policy. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

**ABSTRACT**

## TABLE OF CONTENTS

1.	INTRODUCTION . . . . .	1-1
1.1.	BACKGROUND . . . . .	1-1
1.2.	DESCRIPTION OF DIOXIN-LIKE COMPOUNDS . . . . .	1-2
1.3.	TOXICITY EQUIVALENCY FACTORS . . . . .	1-3
1.3.1.	I-TEQ <sub>DF</sub> . . . . .	1-4
1.3.2.	TEQ <sub>DFP-WHO<sub>94</sub></sub> . . . . .	1-4
1.3.3.	TEQ <sub>DFP-WHO<sub>98</sub></sub> . . . . .	1-5
1.4.	CONTENTS OF THIS VOLUME . . . . .	1-5
	REFERENCES FOR CHAPTER 1 . . . . .	1-8
2.	PHYSICAL AND CHEMICAL PROPERTIES AND FATE . . . . .	2-1
2.1.	INTRODUCTION . . . . .	2-1
2.2.	GENERAL INFORMATION . . . . .	2-2
2.3.	PHYSICAL/CHEMICAL PROPERTY EVALUATION METHODOLOGY . . . . .	2-4
2.4.	PHYSICAL/CHEMICAL PROPERTIES - CHLORINATED COMPOUNDS . . . . .	2-7
2.4.1.	Water Solubility . . . . .	2-7
2.4.2.	Vapor Pressure . . . . .	2-8
2.4.3.	Henry's Law Constant . . . . .	2-10
2.4.4.	Octanol/Water Partition Coefficient . . . . .	2-11
2.4.5.	Organic Carbon Partition Coefficient . . . . .	2-13
2.4.6.	Photo Quantum Yields . . . . .	2-14
2.5.	PHYSICAL CHEMICAL PROPERTIES - BROMINATED COMPOUNDS . . . . .	2-15
2.6.	ENVIRONMENTAL FATE - CHLORINATED COMPOUNDS . . . . .	2-15
2.6.1.	Environmental Fate of CDDs and CDFs . . . . .	2-16
2.6.1.1.	Summary . . . . .	2-16
2.6.1.2.	Transport Mechanisms in Air . . . . .	2-17
2.6.1.2.1.	Vapor/Particle (V/P) Partitioning . . . . .	2-18
2.6.1.2.2.	Dry Deposition . . . . .	2-20
2.6.1.2.3.	Wet Deposition . . . . .	2-25
2.6.1.2.4.	Mechanisms for Entry of CDD/CDFs into the Terrestrial Food Chain . . . . .	2-26
2.6.1.3.	Transport Mechanisms in Soil . . . . .	2-33
2.6.1.4.	Transport Mechanisms in Water . . . . .	2-37
2.6.1.4.1.	Sorption to Particulates and Sedimentation . . . . .	2-38
2.6.1.4.2.	Bioaccumulation . . . . .	2-39
2.6.1.4.3.	Mechanisms for Entry of CDD/CDFs Into the Aquatic Food Chain . . . . .	2-42
2.6.1.5.	Transformation Processes . . . . .	2-45
2.6.1.5.1.	Photolysis . . . . .	2-45
2.6.1.5.2.	Photooxidation . . . . .	2-54
2.6.1.5.3.	Hydrolysis . . . . .	2-55
2.6.1.5.4.	Biotransformation and Biodegradation . . . . .	2-56

## TABLE OF CONTENTS (continued)

2.6.2. Environmental Fate of Dioxin-Like PCBs . . . . .	2-59
2.6.2.1. Summary . . . . .	2-59
2.6.2.2. Transport Mechanisms . . . . .	2-59
2.6.2.3. Transformation Processes . . . . .	2-61
2.6.2.3.1. Photolysis . . . . .	2-61
2.6.2.3.2. Oxidation . . . . .	2-62
2.6.2.3.3. Hydrolysis . . . . .	2-64
2.6.2.3.4. Biotransformation and Biodegradation . .	2-64
2.7. ENVIRONMENTAL FATE - BROMINATED COMPOUNDS . . . . .	2-68
2.7.1. Summary . . . . .	2-68
2.7.2. Transport Mechanisms . . . . .	2-68
2.7.3. Transformation Processes . . . . .	2-69
2.7.3.1. Photolysis . . . . .	2-69
2.7.3.2. Oxidation . . . . .	2-73
2.7.3.3. Hydrolysis . . . . .	2-73
2.7.3.4. Biotransformation and Biodegradation . . .	2-74
REFERENCES FOR CHAPTER 2 . . . . .	2-75
 3. LEVELS OF CDD, CDF, AND PCB CONGENERS IN ENVIRONMENTAL MEDIA AND FOOD . . . . .	3-1
3.1. INTRODUCTION . . . . .	3-1
3.2. CONCENTRATIONS IN AIR . . . . .	3-4
3.2.1. U.S. Data . . . . .	3-5
3.2.2. European Data . . . . .	3-12
3.2.3. Air Observations and Trends . . . . .	3-16
3.2.4. Air CDD/CDF Profiles and Background TEQ Concentrations . . .	3-16
3.3. CONCENTRATIONS IN SOIL . . . . .	3-18
3.3.1. North American Data . . . . .	3-19
3.3.2. European Data . . . . .	3-25
3.3.3. Soil Observations and Trends . . . . .	3-27
3.3.4. Soil CDD/CDF Profiles and Background TEQ Concentrations . .	3-27
3.4. CONCENTRATIONS IN WATER . . . . .	3-29
3.4.1. North American Data . . . . .	3-29
3.4.2. European and Japanese Data . . . . .	3-30
3.4.3. Water Observations and Trends . . . . .	3-31
3.4.4. Water CDD/CDF Profiles and Background TEQ Concentrations .	3-31
3.5. CONCENTRATIONS IN SEDIMENT . . . . .	3-32
3.5.1. North American Data . . . . .	3-32
3.5.2. European Data . . . . .	3-39
3.5.3. Vietnamese and Japanese Data . . . . .	3-41
3.5.4. Sediment Observations and Trends . . . . .	3-41
3.5.5. Sediment CDD/CDF Profiles and Background TEQ Concentrations . . . . .	3-42

## TABLE OF CONTENTS (continued)

3.6.	CONCENTRATIONS IN FISH AND SHELLFISH . . . . .	3-42
3.6.1.	North American Data . . . . .	3-43
3.6.2.	European Data . . . . .	3-50
3.6.3.	Fish Observations and Trends . . . . .	3-53
3.6.4.	Fish CDD/CDF Profiles and Background TEQ Concentrations . . . . .	3-53
3.7.	CONCENTRATIONS IN FOOD PRODUCTS . . . . .	3-55
3.7.1.	Migration of CDD/CDF from Paper Packaging Into Food . . . . .	3-56
3.7.2.	North American Food . . . . .	3-58
3.7.3.	European Food . . . . .	3-80
3.7.4.	Eastern European and Asian Food . . . . .	3-86
3.7.5.	Effects of Cooking and Trimming, or Processing on Residue Levels in Foods . . . . .	3-88
3.7.6.	Food Observations and Trends . . . . .	3-93
3.7.7.	Food CDD/CDF Congener Profiles and Background TEQ Concentrations . . . . .	3-94
3.8.	SUMMARY OF CDD/CDF AND PCB LEVELS IN ENVIRONMENTAL MEDIA AND FOOD . . . . .	3-95
	REFERENCES FOR CHAPTER 3 . . . . .	3-97
4.	HUMAN EXPOSURES TO CDD, CDF, AND PCB CONGENERS . . . . .	4-1
4.1.	INTRODUCTION . . . . .	4-1
4.2.	LEVELS OF DIOXIN-LIKE COMPOUNDS IN HUMAN TISSUE . . . . .	4-2
4.2.1.	Adipose Tissue and Blood Levels . . . . .	4-2
4.2.2.	Breast Milk Levels . . . . .	4-13
4.2.3.	Summary of Human Tissue Levels . . . . .	4-21
4.2.4.	Body Burden Profiles . . . . .	4-22
4.3.	INTAKE ESTIMATES BASED ON TISSUE LEVELS AND PHARMACOKINETIC MODELING . . . . .	4-23
4.3.1.	Steady State Approach . . . . .	4-23
4.3.2.	Non-Steady State Approach . . . . .	4-26
4.4.	INTAKE ESTIMATES BASED ON EXPOSURE MODELING . . . . .	4-27
4.4.1.	Previous Assessments of Background Exposures . . . . .	4-27
4.4.2.	Updated Assessment of Background Exposures on the Basis of Media Levels and Contact Rates . . . . .	4-34
4.4.3.	Assessment of Background Exposures Among Children . . . . .	4-39
4.4.4.	Variability in Intake Estimates . . . . .	4-40
4.4.5.	Comparison of Previous North American Studies to This Study . . . . .	4-44
4.4.6.	Relative Contribution of Exposure Pathways to Total Intake . . . . .	4-45
4.4.7.	Geographical Contributions to Dietary Exposure . . . . .	4-47
4.4.8.	Contribution of CDD/CDF Congeners to Background Dose and Body Tissue Concentration . . . . .	4-49
4.4.8.1.	Background Dose . . . . .	4-52
4.4.8.2.	Background Tissue Concentrations . . . . .	4-54

DRAFT -- DO NOT CITE OR QUOTE

TABLE OF CONTENTS (continued)

4.5.	Comparison of Assessment Approaches and Best Estimates of Intake . . . . .	4-56
4.6.	BACKGROUND EXPOSURE SUMMARY . . . . .	4-58
	REFERENCES FOR CHAPTER 4 . . . . .	4-61
5.0.	POTENTIALLY ELEVATED EXPOSURES . . . . .	5-1
5.1.	INTRODUCTION . . . . .	5-1
5.2.	NURSING INFANTS . . . . .	5-1
5.3.	SPORT AND SUBSISTENCE FISHERS . . . . .	5-3
5.4.	LOCALIZED IMPACTS . . . . .	5-8
5.5.	CIGARETTE SMOKERS . . . . .	5-22
5.6.	SUMMARY OF POTENTIALLY HIGH EXPOSURES THAN BACKGROUND LEVELS . . . . .	5-23
	REFERENCES FOR CHAPTER 5 . . . . .	5-26
6.	TEMPORAL TRENDS . . . . .	6-1
6.1.	INTRODUCTION . . . . .	6-1
6.2.	SEDIMENT CORE STUDIES OF TEMPORAL TRENDS . . . . .	6-1
6.3.	TEMPORAL TRENDS IN SOIL, VEGETATION, AND AIR . . . . .	6-7
6.4.	TEMPORAL TRENDS IN WILDLIFE . . . . .	6-9
6.5.	TEMPORAL TRENDS IN FOOD PRODUCTS . . . . .	6-10
6.6.	TEMPORAL TRENDS IN HUMAN EXPOSURE . . . . .	6-12
6.7.	A MODELING EFFORT TO RECONSTRUCT PAST DOSES OF 2,3,7,8-TCDD . . . . .	6-16
6.8.	SUMMARY OF TEMPORAL TRENDS INFORMATION . . . . .	6-21
	REFERENCES FOR CHAPTER 6 . . . . .	6-24

APPENDIX A - Environmental Chemistry

APPENDIX B - Environmental Concentrations

## LIST OF TABLES

Table 1-1.	The TEF Scheme for I- $\text{TEQ}_{\text{DF}}$ . . . . .	1-9
Table 1-2.	The TEF Scheme for dioxin-like coplanar PCBs, as determined by the World Health Organization in 1994 . . . . .	1-10
Table 1-3.	The TEF Scheme for $\text{TEQ}_{\text{DFP}}\text{-WHO}_{98}$ . . . . .	1-11
Table 2-1.	Possible Number of Positional CDD (or BDD) and CDF (or BDF) Congeners . . . . .	2-3
Table 2-2.	Ranking Scheme for P-Chem Property Evaluation . . . . .	2-6
Table 2-3.	Selected Physical-Chemical Property Values for the "Dioxin-Like" CDD, CDF, and PCB Congeners . . . . .	2-94
Table 2-4.	Summary of Selected Deposition Measurements Reported in the Literature . . . . .	2-98
Table 2-5.	Percentages of CDD/CDFs in Particulate Phase Measured in Air Monitoring Studies . . . . .	2-99
Table 2-6.	Predicted Fractions of CDD/CDF Congeners in Particulate Phase at 20°C in Four Airsheds . . . . .	2-100
Table 2-7.	Factors Influencing the Dry Deposition Removal Rate in the Atmosphere . . . . .	2-101
Table 2-8.	Rain Scavenging Ratios (W) and Percent Washout Due to Particulates (%P) for CDDs and CDFs in Bloomington and Indianapolis Ambient Air . . . . .	2-102
Table 2-9.	Log BCF Values for CDD/CDFs in Fish . . . . .	2-103
Table 2-10.	CDD/CDF BSAFs and BEFs for Lake Ontario Lake Trout . . . . .	2-104
Table 2-11.	Photolysis Rates of CDDs/CDFs in Water and Water:Acetonitrile Mixtures . . . . .	2-105
Table 2-12.	Estimated Tropospheric Half-Lives of CDDs/CDFs with Respect to Gas-Phase Reaction with the OH Radical . . . . .	2-106
Table 2-13.	BAFs, BCFs, and BSAFs for Dioxin-Like PCBs . . . . .	2-107
Table 2-14.	Estimated Tropospheric Half-Lives of Dioxin-Like PCBs with Respect to Gas-Phase Reaction with the OH Radical . . . . .	2-108
Table 3-1.	Mean CDD/CDF Ambient Air Concentrations from Sites Located Upwind and Downwind of an Industrial Site . . . . .	3-115
Table 3-2.	Congener-Specific, Homologue, Total, and TEQ Concentrations for the Four Clusters of Air Samples ( $\text{pg}/\text{m}^3$ ) . . . . .	3-116
Table 3-3.	Background Air Concentrations of CDD/CDFs at Mohawk Mountain, Connecticut . . . . .	3-117
Table 3-4.	Ambient Air Concentrations Near a Roadway in Phoenix, Arizona . . . . .	3-118
Table 3-5.	Annual Mean PCB Concentrations in Ambient Air, Ontario, Canada ( $\text{pg}/\text{m}^3$ ) . . . . .	3-119
Table 3-6.	Annual Average Dioxin-Like PCB Concentrations in Ambient Air in Germany ( $\text{pg}/\text{m}^3$ ) . . . . .	3-120
Table 3-7.	Mean Background CDD/CDF Profiles for Air . . . . .	3-121
Table 3-8.	$\text{TEQ}_{\text{DF}}\text{-WHO}_{98}$ Concentrations of CDD/CDFs in Air in the United States ( $\text{pg}/\text{m}^3$ ) . . . . .	3-122

## LIST OF TABLES (continued)

Table 3-9.	Mean PCDD and PCDF Concentrations in Canadian Soil from 1987 (ppt) . . . . .	3-123
Table 3-10.	Dioxin/Furan Levels in Four Background Soil Samples from Elk River, Minnesota (ppt) . . . . .	3-124
Table 3-11.	Dioxin/Furan Levels in British Columbia Soils . . . . .	3-125
Table 3-12.	Number of Positive Soil Samples and CDD/CDF Concentrations in Background, Urban, and Impacted Sites Near a Waste-to-Energy Facility in Ohio . . . . .	3-126
Table 3-13.	Mean Background CDD/CDF Profiles for Soil . . . . .	3-127
Table 3-14.	$\text{TEQ}_{\text{DF}}$ -WHO <sub>98</sub> Concentrations of CDD/CDFs in North American Soil (ppt) . . . . .	3-128
Table 3-15.	CDD/CDF Levels in British Columbia Sediments . . . . .	3-130
Table 3-16.	$\text{TEQ}_{\text{DF}}$ Concentrations (ppt) and Ratios of 2,3,7,8-Substituted CDD/CDF Concentrations to Total CDD/CDF Concentrations for the Most Recent Sediment Core Sampling Periods for 11 U.S. Lakes . . . . .	3-131
Table 3-17.	CDD/CDF and PCB Concentrations and Flux for 11 U.S. Lakes/Reservoirs . . . . .	3-132
Table 3-18.	Average Total Concentrations of CDD/CDFs for Sediments (pg/g) . . . . .	3-133
Table 3-19.	Mean Background Profiles for Sediment . . . . .	3-134
Table 3-20.	$\text{TEQ}_{\text{DF}}$ -WHO <sub>98</sub> Concentrations of CDD/CDFs in North American Sediment (ppt) . . . . .	3-135
Table 3-21.	Background Data for Fish from the National Bioaccumulation Study . . . . .	3-136
Table 3-22.	Levels of CDD and CDF I- $\text{TEQ}_{\text{DF}}$ s in Fish From the Southern Mississippi Region . . . . .	3-137
Table 3-23.	Summary of CDD, CDF, and PCB Analyses in Farm Raised Catfish from the Southeastern United States . . . . .	3-138
Table 3-24.	Levels of PCBs in Fish Tissue, Bivalves, and Sediment at a Site Near a Pulp and Paper Mill . . . . .	3-139
Table 3-25.	Mean CDD/CDF Profiles for Fish . . . . .	3-140
Table 3-26.	I- $\text{TEQ}_{\text{DF}}$ s in Foods From Southern Mississippi . . . . .	3-141
Table 3-27.	Summary of Dioxin/Furan Food Data Collected in the California State Air Resources Board Study . . . . .	3-142
Table 3-28.	Summary of U.S. Food Data from NCASI Study . . . . .	3-144
Table 3-29.	Summary of Schecter et al. (1993a) Data on U.S. Foods . . . . .	3-145
Table 3-30.	CDD/CDFs and PCBs in Foods from Five Regions of the United States . . . . .	3-146
Table 3-31.	I- $\text{TEQ}_{\text{DF}}$ Levels in Cow's Milk and Infant Formula from the United States and Thailand . . . . .	3-147
Table 3-32.	Maximum CDD/CDF Levels in Foods Collected in Canada (pg/g fresh weight) as Reported by Birmingham et al. (1989) . . . . .	3-148
Table 3-33.	Summary of TEQ Levels in Toronto (1992) and Montreal (1993) . . . . .	3-149
Table 3-34.	Summary of Coplanar PCBs in a Statistical Sample of Beef Fat in the United States . . . . .	3-150
Table 3-35.	Concentration Levels of CDD/CDF Congeners in Back Fat and Ratios of Muscle Fat/Back Fat in Cattle . . . . .	3-151

## LIST OF TABLES (continued)

Table 3-36.	TEQ <sub>DFP</sub> -WHO <sub>98</sub> Summary of Nationally Extrapolated Pork Results on a Lipid Basis Assuming Nondetects (ND) Equal ½ Detection Limit . . . . .	3-152
Table 3-37.	TEQ <sub>DFP</sub> -WHO <sub>98</sub> Summary of Nationally Extrapolated Results From U.S. Poultry Fat on a Lipid Basis Assuming Nondetects (ND) Equal ½ D . . . . .	3-153
Table 3-38.	Average Congener Concentrations of 8 Composite Milk Samples (pg/g lipid; ND=0 in parenthesis) . . . . .	3-154
Table 3-39.	Calculation of Fractional Fat Content of Dairy Products Category . . . . .	3-155
Table 3-40.	CDD/CDF Levels in German Food . . . . .	3-156
Table 3-41.	CDD/CDF Background Levels in Some European, Canadian, and New Zealand Food . . . . .	3-157
Table 3-42.	CDD/CDF Levels in German Food (1993-1996) . . . . .	3-158
Table 3-43.	I-TEQ <sub>DF</sub> Levels in Dairy Products in France . . . . .	3-159
Table 3-44.	I-TEQ <sub>DF</sub> Concentrations in Food from the Netherlands . . . . .	3-160
Table 3-45.	I-TEQ <sub>DF</sub> Concentrations in Food from Spain . . . . .	3-161
Table 3-46.	I-TEQ <sub>DF</sub> Concentrations in UK Foods . . . . .	3-162
Table 3-47.	I-TEQ <sub>DF</sub> Concentrations in Bottled Cow's Milk from the United Kingdom . . . . .	3-163
Table 3-48.	Concentrations and Concentration Ranges (pg/g fresh weight) of Four Dioxin-Like PCBs in Foods from Finland . . . . .	3-164
Table 3-49.	I-TEQ <sub>DF</sub> S (ppt wet weight) in Foods From the Former Soviet Union . . . . .	3-165
Table 3-50.	Percentage Reduction of Total 2,3,7,8-TCDD Residues in Restructured Carp Fillets from Cooking . . . . .	3-166
Table 3-51.	Effects of Cooking and Trimming on PCB Levels in Lake Ontario Fish . . . . .	3-167
Table 3-52.	Means and Standard Deviations of PCB Cooking Losses (%) of Stewed and Pressure Cooked Chicken Pieces . . . . .	3-168
Table 3-53.	Weighted Mean CDD/CDF Profiles for Foods . . . . .	3-169
Table 3-54.	Summary of CDD/CDF Levels in U.S. Food (pg/g fresh weight) . . . . .	3-170
Table 3-55.	Summary of TEQ <sub>P</sub> -WHO <sub>98</sub> Levels in North American Food (pg/g fresh weight) . . . . .	3-171
Table 3-56	Summary of North American CDD/CDF and PCB TEQ-WHO <sub>98</sub> Levels in Environmental Media and Food (whole weight basis) . . . . .	3-172
Table 3-57.	CDD/CDF Congeners that Contribute the Highest Percentage of TEQ <sub>DF</sub> -WHO <sub>98</sub> to the Total TEQ <sub>DF</sub> -WHO <sub>98</sub> for All Congeners Combined .	3-174
Table 4-1.	NHATS Mean Adipose Tissue Data (ppt, lipid adjusted) . . . . .	4-72
Table 4-2.	Estimated Mean I-TEQ <sub>DF</sub> Concentrations (ppt) in Adipose Tissue for U.S. Subpopulations from the 1987 NHATS . . . . .	4-73
Table 4-3.	Human Adipose Tissue Data (ppt, lipid adjusted) . . . . .	4-74
Table 4-4.	Mean Levels in Human Serum (ppt, whole weight basis) . . . . .	4-75
Table 4-5.	Mean TEQ Levels in Pooled Serum Samples . . . . .	4-76
Table 4-6.	Mean Concentrations of CDD/CDFs and Coplanar PCB Congeners from the Times Beach Exposure Study . . . . .	4-77
Table 4-7.	Results of Blood Sampling for the Comparison Population at Vertac in Jacksonville, AK . . . . .	4-78

## LIST OF TABLES (continued)

Table 4-8.	Congener-specific Average Concentrations for 29 North Carolina Adults . . . . .	4-79
Table 4-9.	CDD/CDF Levels in Human Blood from Various Countries . . . . .	4-80
Table 4-10.	CDD/CDF Levels in Human Adipose Tissues from Various Countries . . . . .	4-81
Table 4-11.	Levels of CDDs and CDFs 2,3,7,8-Substituted Found in Spanish Human Adipose Tissue on Fat Weight Basis in pg/g (ppt). (17 samples) . . . . .	4-82
Table 4-12.	Concentration of CDDs, CDFs, and PCBs in Human Milk on a Fat Basis (pg/g) . . . . .	4-83
Table 4-13.	CDD/CDF Concentrations and I-TEQ <sub>DF</sub> Levels in Human Milk . . . . .	4-84
Table 4-14.	CDD/CDF and PCB TEQ Concentrations in Breastmilk from Various Countries and Regions Based on 1992/93 Sampling . . . . .	4-85
Table 4-15.	Comparison of Results from the First and Second Round of WHO-Coordinated Human Milk Study . . . . .	4-86
Table 4-16.	PCB Concentrations in Cow's Milk and Human Milk from The Netherlands (ppt, lipid basis) . . . . .	4-87
Table 4-17.	I-TEQ <sub>DF</sub> S in Mother's Milk and Blood, and Infant's Blood (ppt) . . . . .	4-88
Table 4-18.	CDD/CDF Levels in Human Tissues in North America (ppt TEQ <sub>DF</sub> -WHO <sub>98</sub> , lipid basis) . . . . .	4-89
Table 4-19.	CDD/CDF Levels in Human Tissues in Europe and Japan (ppt TEQ <sub>DF</sub> -WHO <sub>98</sub> , lipid basis) . . . . .	4-90
Table 4-20.	PCB Levels in Human Tissues in North America (ppt TEQ <sub>P</sub> -WHO <sub>98</sub> , lipid basis) . . . . .	4-92
Table 4-21.	PCB Levels in Human Tissues in Europe (ppt TEQ <sub>P</sub> -WHO <sub>98</sub> , lipid basis, using WHO TEFs) . . . . .	4-94
Table 4-22.	Weighted Mean CDD/CDF Profiles for Human Tissues . . . . .	4-95
Table 4-23.	Estimated Dose Based on Congener-Specific Half-Lives and Adipose Tissue TEQ <sub>DF</sub> -WHO <sub>98</sub> Concentrations, and Pharmacokinetic Modeling . . . . .	4-96
Table 4-24.	Predicted Average Daily Intake of 2,3,7,8-TCDD by the General Population of the United States . . . . .	4-97
Table 4-25.	Predicted Average Daily Intake of 2,3,7,8-TCDD from Foods by the General Population of the United States . . . . .	4-98
Table 4-26.	Daily Exposure to 2,3,7,8-TCDD and I-TEQ <sub>DF</sub> from Air, Soil, Food, and Nonfood in The Netherlands . . . . .	4-99
Table 4-27.	Estimated Lifetime Average Daily Exposure of Canadians to Dioxin I-TEQ . . . . .	4-100
Table 4-28.	Estimated Upper Bound Dietary Intakes of CDD/CDFs by the Average UK Consumer in 1982 and 1992 . . . . .	4-101
Table 4-29.	Estimated CDD/CDF Mean Background Exposures for Adults in the United States . . . . .	4-102
Table 4-30.	Estimated Dioxin-Like PCB Mean Background Exposures for Adults in the United States . . . . .	4-103
Table 4-31.	Comparison of Adult Contact Rates, TEQ <sub>DF</sub> Concentrations, and Background Exposure Estimates from the 1994 Draft and Current Version of This Document . . . . .	4-104

## LIST OF TABLES (continued)

Table 4-32.	Background Exposures via Consumption of German Food . . . . .	4-105
Table 4-33.	Comparison of Contact Rates and Background TEQ <sub>DF</sub> -WHO <sub>98</sub> Exposures for Three Age Groups of Children to Adults . . . . .	4-106
Table 4-34.	Comparison of Contact Rates and Background TEQ <sub>P</sub> -WHO <sub>98</sub> Exposures for Three Age Groups of Children to Adults . . . . .	4-107
Table 4-35.	Percentage TEQ <sub>DFP</sub> -WHO <sub>98</sub> Contribution of Each Media to Total Dose by Age Group . . . . .	4-108
Table 4-36.	Variability in Fat Intake from the Bogalusa Heart Study . . . . .	4-109
Table 4-37.	Fat Intake (g/day) Among the Adult U.S. Population, Based on Data from the 1987 NHIS . . . . .	4-110
Table 4-38.	Estimated CDD/CDF Upper Percentile Background Exposures for Adults in the United States . . . . .	4-111
Table 4-39.	Estimated Dioxin-Like PCB Upper Percentile Background Exposures for Adults in the United States . . . . .	4-112
Table 4-40.	Comparisons of Predicted Average Daily Intake of 2,3,7,8-TCDD and Total TEQ <sub>DF</sub> S . . . . .	4-113
Table 4-41.	Example of the Calculation of the Picograms of TEQ <sub>DF</sub> -WHO <sub>98</sub> Contributed by Individual CDD/CDF Congeners for the Beef Consumption Pathway . . . . .	4-114
Table 4-42.	Average Concentrations (not on a TEQ <sub>DF</sub> -WHO <sub>98</sub> basis) and the Fraction of TEQ <sub>DF</sub> -WHO <sub>98</sub> Contributed by Each CDD/CDF Congener for the Various Food Groups . . . . .	4-115
Table 4-43.	The Average Concentrations (not on a TEQ <sub>P</sub> -WHO <sub>98</sub> basis) and the Fraction of TEQ <sub>P</sub> -WHO <sub>98</sub> Contributed by Each Dioxin-Like PCB Congener for the Various Food Groups . . . . .	4-116
Table 4-44.	TEQ <sub>DF</sub> -WHO <sub>98</sub> Contribution of Each CDD/F Congener to the Daily Dose for Each Group and Overall (pg/day) . . . . .	4-117
Table 4-45.	TEQ <sub>P</sub> -WHO <sub>98</sub> Contribution of Each Coplanar PCB Congener to the Daily Dose for Each Group and Overall . . . . .	4-118
Table 4-46.	Average CDD/CDF Concentrations in Human Tissue and Fractional Contribution of CDD/CDF Congeners to Total TEQ <sub>DF</sub> -WHO <sub>98</sub> Tissue Concentrations for Three Tissue Types and Overall . . . . .	4-119
Table 4-47.	Average Coplanar PCB Concentrations in Human Tissue and Percentage Contribution of CDD/F Congeners to Total TEQ <sub>P</sub> -WHO <sub>98</sub> Tissue Concentrations for Three Tissue Types and Overall . . . . .	4-120
Table 4-48.	Summary of Exposure Findings and Uncertainties for North America (all concentrations on lipid basis) . . . . .	4-121
Table 4-49.	Adult Contact Rates and Background Doses of Dioxin-Like Compounds . . . . .	4-122
Table 4-50.	Variability in TEQ <sub>DFP</sub> -WHO <sub>98</sub> Intake by Age . . . . .	4-123
Table 5-1.	Concentrations of CDDs, CDFs, and Dioxin-Like PCBs in Blood (lipid based) of a Breast-Fed and a Formula-Fed Infant at the Age of 11 and 25 Months . . . . .	5-32

## LIST OF TABLES (continued)

Table 5-2.	Estimated CDD/CDF Exposures for Adult Subsistence Fishermen . . . . .	5-33
Table 5-3.	Levels of Different PCB Congeners in Blood Samples from Three Groups of Men with Different Fish Consumption Habits . . . . .	5-34
Table 5-4.	Mean TEQ Levels in Pooled Serum Samples . . . . .	5-35
Table 5-5.	Mean CDD/CDF Levels in Serum of Consumers of Great Lakes Sport Fish (ppt, lipid adjusted) . . . . .	5-36
Table 5-6.	Mean PCB Levels in Serum of Consumers of Great Lakes Sport Fish (ppt, lipid adjusted) . . . . .	5-37
Table 5-7.	Comparison Between Mean PCB Levels in Fish-eating Populations and Controls . . . . .	5-38
Table 6-1.	Lipid Based Concentrations of CDD/CDFs and PCBs in Samples of Pooled Retail Milk Purchased in the United Kingdom . . . . .	6-31
Table 6-2.	CDD/F and PCB TEQ Concentrations and Percent Differences from Current TEQ Levels . . . . .	6-32
Table 6-3.	Estimated Upper Bound Dietary Intakes of CDD/CDFs and PCBs by the Average UK Consumer in 1982 and 1992 . . . . .	6-33
Table 6-4.	Estimated National Average Concentrations of Dioxins and Furans from the 1982 and 1987 NHATS . . . . .	6-34
Table 6-5.	Trends in Blood CDD/CDF Levels in a German Population, 1991-1996 .	6-35
Table 6-6.	Comparison of Results from the First and Second Round of WHO-Coordinated Human Milk Study . . . . .	6-36
Table 6-7.	Comparison of CDD/CDF Concentrations in Human Milk from Finland in 1987 and 1992-1994 . . . . .	6-37
Table 6-8.	Mean Human Lipid TCDD Concentrations Reported in Various U.S. Studies . . . . .	6-38
Table 6-9.	Summary of Findings with Regard to Trends in Dioxin Levels in the Environment and in Humans . . . . .	6-39

## LIST OF FIGURES

Figure 1-1.	Chemical Structure of 2,3,7,8-TCDD and Related Compounds . . . . .	1-12
Figure 2-1.	Pathways for Entry of Dioxin-like Compounds into the Terrestrial and Aquatic Food Chains . . . . .	2-109
Figure 2-2.	Intermedia Movement of CDD/CDFs and PCBs Among Major Environmental Media . . . . .	2-110
Figure 3-1.	CDD/CDF Profiles for Rural Background Air . . . . .	3-175
Figure 3-2.	CDD/CDF Profiles for Urban Background Air . . . . .	3-176
Figure 3-3.	CDD/CDF Profiles for Rural Soils . . . . .	3-177
Figure 3-4.	CDD/CDF Profiles for Urban Soils . . . . .	3-178
Figure 3-5.	CDD/CDF Profiles for Sediment . . . . .	3-179
Figure 3-6.	CDD/CDF Congener Profiles for Fish and Shellfish . . . . .	3-180
Figure 3-7.	CDD/CDF Congener Profile for Beef . . . . .	3-181
Figure 3-8.	CDD/CDF Congener Profile for Pork . . . . .	3-182
Figure 3-9.	CDD/CDF Congener Profiles for Poultry and Eggs . . . . .	3-183
Figure 3-10.	CDD/CDF Congener Profiles for Milk and Dairy Products . . . . .	3-184
Figure 3-11.	CDD/CDF and PCB Mean Background Environmental Levels in TEQ-WHO <sub>98</sub> . . . . .	3-185
Figure 4-1	CDD/CDF Profiles for Adipose Tissue, Blood and Human Milk . . . . .	4-124
Figure 4-2	Background TEQ <sub>DF</sub> -WHO <sub>98</sub> Exposure for North America, by Pathway . . . . .	4-125
Figure 4-3.	Percent Contribution of Various Media to TEQ <sub>DF</sub> -WHO <sub>98</sub> Dose, By Age Group . . . . .	4-126
Figure 4-4.	Comparison of North American and European Background CDD/CDF TEQ Exposures . . . . .	4-127
Figure 4-5.	Contribution of Various Media to 2,3,7,8-TCDD Exposure in North America . . . . .	4-128
Figure 4-6.	TEQDF-WHO98 Derived from Pork Production Data . . . . .	4-129
Figure 4-7.	TEQDF-WHO98 Derived from Dairy Products Production Data. . . . .	4-130
Figure 4-8.	Comparison of Food Contributions to TEQ <sub>DF</sub> -WHO <sub>98</sub> Production Data and Dose . . . . .	4-131
Figure 4-9.	Total TEQ Production in Five Food Categories, Categorized by Quartile	4-132
Figure 4-10	Fractions of the Background TEQ Dose and TEQ Tissue Concentration Contributed by Each CDD/CDF Congener . . . . .	4-133
Figure 4-11	Fractions of the Background TEQ Dose and TEQ Tissue Concentration Contributed by Each PCB Congener . . . . .	4-134
Figure 6-1.	CDD/CDF Levels in Sediment, Beaver Lake, Washington . . . . .	6-40
Figure 6-2.	I-TEQ <sub>DF</sub> Concentrations of Historical Food Samples from the U.S. (results calculated at ND = ½ LOD) . . . . .	6-41
Figure 6-3.	TEQ <sub>P</sub> -WHO <sub>94</sub> Concentrations of Historical Food Samples from the U.S. (results calculated at ND = ½ LOD) . . . . .	6-41
Figure 6-4.	Examples of Temporal Exposure Curves for 2,3,7,8-TCDD, e(t) in Units of pg/kg-day. . . . .	6-42
Figure 6-5.	Predicted Mean TCDD Lipid Concentrations (pg/g) in Males by Birth Year and Specimen Year Derived Using e(t) Curve Labeled A in Figure 6-4 . . .	6-43